

A) IDENTYFICATION OF THE SAMPLE:							
Name of the product	Hygiene of Sweden screen & handspray 1:15 Batch/lot: BN005 Production date: 23-03-2020 Expiry date: 23-03-2025						
The active substance	Not indicated						
Aspect of the dilutions of the product	Transparent						
B) TEST METHOD:							
Performed in accredited subcontracted partner laboratory: Scope of Accreditacion Nr 648/LE1286	UNE- EN-14476:2014+A2:2019 Guideline- Virucidal quantitative suspension test for chemical disinfectants and antiseptics used in human medicine. Test method and requirements (phase 2, step 1)						
Testing method	Procedure DESIN-6225						
C) EXPERIMENTAL CONDITION	ONS:						
Product test concentrations (%V/V)	80%, 50%, 0,1%						
Assay period	09/04/2020 – 21/04/2020						
Assay temperature	37°C ± 1°C						
Contact time	1 minute						
Contact temperature	20°C ± 1°C						
Titration method	TCID ₅₀ (Tissue Culture Infective Dose 50%).						
Solvent of the product used in the assay	Sterile distilled water.						
Procedure to stop product cytotoxicity	Molecular sieving						
Procedure to stop product activity	Cooling with ice						
Interfering substance	Clean conditions in the presence of bovine serum albumin 0,3 g/L						
Identification of the origin of viral strains and number of passes	Coronavirus 229E (ATCC VR-740) aliquot: 2019/03/04 passage 2						
Cell lines (name, origin, number of passes)	MRC-5 ref. FTMR, working aliquot 3, passages 17, working aliquot 4, passages 9 and 10						

Date: 25.05.2020

Authorized by: Agnieszka Erber, Expert Analyst, Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)



Validation of assay results

Coronavirus	229E	(ATCC V	VR-740)
COL CALL LAD CO.			, , ,

Titre of the viral suspension for the virus control (1 minute): • Clean conditions. log 10 ^{-6.32} Cytotoxicity level (80%). log 10 ^{-0.5}
Maximum level of virus inactivation detectable (difference between the titre of the viral suspension and the cytotoxicity level): • Clean conditions
Reference test (formaldehyde 1.4%)
Cytotoxicity level of formaldehyde 0.7%log 10 ^{-0.5}
Viral quantification in the reference test (formaldehyde) after 15 minutes and with Coronavirus 229E
Confidence interval
Titre of virus with 95% confidence interval with Coronavirus 229E (1 minute)
o Clean conditions
Reduction with the confidence interval of 95 %
Sensitivity of cells to virus
 Viral quantification of Coronavirus 229E with cells not treated with "Hygiene of Sweden Screen & Handspray" disinfectant
show a low degree of cellular destruction (< 25% of cell monolayer) and b) produce a reduction of the title of the virus <110g10.

Date: 25.05.2020

Authorized by: Agnieszka Erber, Expert Analyst, Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

This enclosure is an inseparatable part of the report of analysis and cannot be reproduced partially without a priori written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in an original copy of the enclosure.

Form PO-10/05b of 20.01.2020



Control of the effectivity of the disinfectant detection activity

- Viral quantification of Coronavirus 229E after 30 minutes on bath ice without exposing the virus to the "Hygiene of Sweden Screen & Handspray" disinfectant......log10^{-6.16}
- Viral quantification of Coronavirus 229E exposing the virus to "Hygiene of Sweden Screen & Handspray" disinfectant and incubated 30 minutes on ice bath......log10^{-5.82}

Note: The difference between decimal logarithm of titre without exposing the virus to the product and of the test suspension should be ≤ 0.5

Special remarks

- The product is tested at 80%; 50% and 0.1%. The highest concentration that can be tested in the test is 80%, because of the mixtures made during the test.
- All controls and validation were between the basic limits.
- One concentration at least showed a log reduction less than 4 log.
- One concentration at least showed a log reduction higher than ≥4 log.

Assay results

Description

The disinfectant product, "Hygiene of Sweden Screen & Handspray", batch BN10, under clean conditions, diluted at 80% and 50% and during 1 minute of exposure, shows virucidal activity against Human Coronavirus 229E (ATCC VR-740), with a reduction ≥ 5.82 ± 0.36 TCID₅₀, for both concentrations, when the activity is assayed according with the internal procedure DESIN-6255 based on the NF EN 14476: 2013 + A2: 2019 guideline.

The disinfectant product, "Hygiene of Sweden Screen & Handspray", batch BN10, under clean conditions, diluted at 0.1% and during 1 minute of exposure, <u>does not show</u> virucidal activity against Human Coronavirus 229E (ATCC VR-740), with a reduction 0.16 ± 0.50 TCID₅₀, when the activity is assayed according with the internal procedure DESIN-6255 based on the NF EN 14476: 2013 + A2: 2019 guideline.

Date: 25.05.2020

Authorized by: Agnieszka Erber, Expert Analyst, Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

This enclosure is an inseparatable part of the report of analysis and cannot be reproduced partially without a priori written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in an original copy of the enclosure.

Form PO-10/05b of 20.01.2020



Tables of results and graphics

See tables 1 and 2 and figure 1.

Conclusion

The disinfectant product "Hygiene of Sweden Screen & Handspray", batch BN10, under clean conditions (bovine serum albumin 0.3 g/L), diluted at 80%, requested by the customer, and during 1 minute of exposure, shows virucidal activity against Human Coronavirus 229E (ATCC VR-740), when the activity is assayed according with the internal procedure DESIN-6255 based on the NF EN 14476: 2013 + A2: 2019 guideline.

Tests performed only with Coronavirus strain 229E, does not allow to conclude that the product tested shows a general virucidal activity, but only that it shows activity against Coronaviruses.

Note 1: The results obtained correspond to the product received in this laboratory.

Note 2: The information that depend on the information received from the client and are not facilitated by the same one, shown as "not provided".



Table 1. Results of activity of the product "Hygiene of Sweden Screen & Handspray", batch BN10, with Coronavirus 229E (ATCC VR-740) under clean conditions.

Product	Concentration*	Interfering substance	Cytoto- xicity level	log ₁₀ TCID ₅₀ after				Reduction with the confidence interval of 95 % after 1 minute		
				0 min	1 min	min	15 min	1 111111111		
Hygiene of Sweden Screen & Handspray	80%		0.5	-	0.50	•	•	≥ 5.82 ± 0.36		
	50%	0.3 g/L BSA	0.5	-	0.50	-	-	$\geq 5.82 \pm 0.36$		
	0.1%		0.5	-	6.16	-	•	0.16 ± 0.50		
Formaldehyde	0.7% (w:v)	NA	0.5	NR	NR	3.82	2.74	NA		
Virus control	NA	0.3 g/L BSA	NA	6.07	6.32	NR	NR	NA		
Virus control Formaldehyde	0.7% (w:v)	NA	0.5	5.91	NR	NR	5.83	NA		

Date: 25.05.2020

Authorized by: Agnieszka Erber, Expert Analyst, Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)



Control of the effectiveness of the disinfectant detection activity (difference between decimal logarithm of titre without exposing the virus to the product and of the test suspension).....log10^{-0.34}

NA: not applicable; NR: not realized

Times recommended by Guideline for surfaces: maximum 5 or 5 minutes Times recommended by Guideline for instruments: maximum 5 minutes

Times recommended by Guideline for Hygienic treatment of hands by friction and hygienic

handwashing: between 30 or 120 minutes

PBS: phosphate buffered saline; BSA: bovine serum albumin.

Virucidal activity exists when the titre of virus shows a reduction ≥4 log. *: see Special remarks to understand the values of these concentrations.

Date: 25.05.2020

Authorized by: Agnieszka Erber, Expert Analyst, Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)



Table 2. Results of the activity of the product "Hygiene of Sweden Screen & Handspray", batch BN10, with Coronavirus 229E (ATCC VR-740) (Assay of titration with 12 wells), under clean conditions.

			т. с	Dilutions (log10) ^{a,b}							
Product Concentration *	Concen-	Interfering	Time of								
	substance	contact (min)	1	2	3	4	5	6	7	8	
				0000	0000	0000	0000	0000	0000	0000	
	80%		1	0000	0000	0000	0000	0000	0000	0000	NR
Hygiene of Sweden Screen & Handspray			0000	0000	0000	0000	0000	0000	0000		
	0.2 /7 DCA		0000	0000	0000	0000	0000	0000	0000	270	
	0.3 g/L BSA	1	0000	0000	0000	0000	0000	0000	0000	NR	
		-		4444	4444	4444	4444	4444	0003	0000	0000
	0.1%		1	4444	4444	4444	4444	4444	2202	0001	0000
	0.170		•	4444	4444	4444	4444	4444	2220	0000	0000
				0000	0000	0000	0000	0000	0000	0000	
Cytotoxicity	80%	0.3 g/L BSA	NA	0000	0000	0000	0000	0000	0000	0000	NR
		Ŭ		0000	0000	0000	0000	0000	0000	0000	
				4444	4444	4444	4444	4444	0032	0000	0000
			0	4444	4444	4444	4444	4444	0220	0000	0000
Virus control				4444	4444	4444	4444	4444	2000	1100	0000
Virus control	NA	0.3 g/L BSA		4444	4444	4444	4444	4444	0032	0000	0000
			1	4444	4444	4444	4444	4444	2222	0011	0000
				4444	4444	4444	4444	4444	2020	0000	0000
				4444	4444	2322	0102	0000	0000	0000	
			5	4444	4444	2320	2200	0000	0000	0000	NR
Formaldehyde	0.7 (w/v)	v) NA		4444	4444	2332	0010	0000	0000	0000	
	0.7 (W/V)	IVA	15	4444	2322	0021	0000	0000	0000	0000	
				4444	2223	0102	0000	0000	0000	0000	NR
				4444	2023	0000	0000	0000	0000	0000	
Control of				0000	0000	0000	0000	0000	0000	0000	
formaldehyde	0.7 (w/v)	0.3 g/L BSA	NA	0000	0000	0000	0000	0000	0000	0000	NR
cytotoxicity	0.7 (W/V)	0.5 g/L D511		0000	0000	0000	0000	0000	0000	0000	-120
Cytotoxicity				4444	4444	4444	4444	2332	0100	0000	
			0	4444	4444	4444	4444	0232	0021	0000	NR
77:				4444	4444	4444	4444	3322	1012	0000	1410
Virus control	0.7 (w/v)	374		4444	4444	4444	4444	2322	0212	0000	
formaldehyde		NA	15	4444	4444	4444	4444	0302	0002	0000	NR
				4444	4444	4444	4444	3222	0110	0000	INEC
				4444	4444	4444	4444	3222	0110	0000	
	ı	1 1									
			Cells not	CCCC	CCCC	CCCC	CCCC	CCCC	00CC	0000	0000
			treated	CCCC	CCCC	CCCC	CCCC	CCCC	COCC	0C0C	0000
Sensitivity control	NA	NT A		CCCC	CCCC	CCCC	CCCC	CCCC	C000	C000	0000
of cells to virus	INA	NA	C-II-	CCCC	CCCC	CCCC	CCCC	CC0C	000C	0000	0000
			Cells	CCCC	CCCC	CCCC	CCCC	CCCC	C0C0	0000	0000
			treated	CCCC	CCCC	CCCC	CCCC	CCCC	C000	0000	0000
				cccc	cccc	cccc	CCCC	CCCC	000C	0000	0000
Effectiveness			Without	CCCC	CCCC	CCCC	CCCC	CCCC	CCOC	000C	0000
control of the			PRODUCT	CCCC	CCCC	CCCC	CCCC	CCCC	COCO	C000	0000
disinfectant	NA	0.3 g/L BSA									
		3	With	CCCC	CCCC	CCCC	CCCC	CCCC	000C C0CC	0000	0000
detection activity			PRODUCT	cccc	cccc	cccc	CCCC	CCCC	0C00	0000	0000
				5000	3000	3000	5000	5000	0000	3000	3000

Date: 25.05.2020

Authorized by: Agnieszka Erber, Expert Analyst, Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)




a): 1 to 4, virus present and grade of cytophatic effect in 12 units of cellular culture, or grade of cellular lesions in the cytotoxicity assay.

C = cytopathic effect with presence of virus (in this case and according to guideline does not take into account the degree of cytopathic effect only, the presence or absence of the same).

0 = no virus present or absence of cellular lesions in the cytotoxicity assay; NA: not applicable; NR: not realized; BSA: Bovine serum albumin; PBS: phosphate buffered saline. sec: minutes; min: minutes.

Figure 1. Results of the activity of the product "Hygiene of Sweden Screen & Handspray", batch BN10, at 80%, 50% and 0.1% concentration under clean conditions with Coronavirus 229E (ATCC VR-740).



Date: 25.05.2020

Authorized by: Agnieszka Erber, Expert Analyst, Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

^{*:} see Special remarks to understand the values of these concentrations.